

L Number	Hits	Search Text	DB	Time stamp
-	8828	expert and database and control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:13
-	5987	(expert and database and control) and collect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:14
-	4233	(expert and database and control) and configure\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:14
-	6278	(expert and database and control) and analy\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:14
-	8080	(expert and database and control) and result\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:15
-	6090	(expert and database and control) and format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:15
-	1435	(expert and database and control) and enterprise	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:16
-	8080	(expert and database and control) and result\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:16
-	4411	(expert and database and control) and report	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:16
-	5156	(expert and database and control) and report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:16
-	5996	result\$1 and analy\$3 and (expert and database and control)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:17
-	4583	(result\$1 and analy\$3 and (expert and database and control)) and collect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:18

-	3351	report\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and collect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:20
-	4206	(result\$1 and analy\$3 and (expert and database and control)) and format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:20
-	3394	collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:21
-	2635	(collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:22
-	2029	configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:23
-	1924	(configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:24
-	780	repeat and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:25
-	1682	automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:26
-	1315	(automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and plan\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:26
-	1422	(automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and action	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:27
-	1320	(automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and (platform\$1 or node\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:27
-	1651	(automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:28

-	1286	issue\$1 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:28
-	1508	identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:28
-	1438	(identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:28
-	1438	(identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:29
-	572	layout and ((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:30
-	534	(layout and ((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1)) and action	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:30
-	1257	((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:31
-	1067	(platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:32
-	499	((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action)) and layout	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:33
-	463	plan\$4 and (((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action)) and layout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:33
-	885	plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:34
-	419	(plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))) and enterprise	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:34

-	797	(plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))) and issue\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:35
-	463	(plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))) and layout	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:35
-	434	layout and ((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))) and issue\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:37
-	434	(layout and ((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))) and issue\$1)) and issue\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:36
-	247	enterprise and ((layout and ((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))) and issue\$1)) and issue\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:36
-	434	layout\$1 and ((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))) and issue\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:38
-	70	(enterprise and ((layout and ((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))) and issue\$1)) and issue\$1)) and repeat	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:38
-	185	(enterprise and ((layout and ((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))) and issue\$1)) and issue\$1)) and assembly	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:39
-	70	(enterprise and ((layout and ((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))) and issue\$1)) and issue\$1)) and repeat	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 09:55
-	129	706/59.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 14:17
-	148	706/60.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 14:18

-	80	706/61.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 09:56
-	299	706/47.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 14:17
-	47	706/59.ccls. and expert and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 14:17
-	110	706/47.ccls. and expert and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 14:18
-	68	706/60.ccls. and expert and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 14:18